



WAX STRIPPER

DESCRIPTION

Wax Stripper is a fast-acting heavy duty stripper that breaks up metal interlocks of resin waxes, rapidly peels off built up coats on the floor.

Wax Stripper is designed for quick-action wax removing jobs that result in great time saving of services.

FEATURES

- Effectively suitable for use in removing stiffened old coats.
- Contained water-soluble solvent to quickly dissolve resin waxes.
- Supplied in concentrated form which can be further diluted for economical usage.

Typical dilution:

1-part Wax Stripper to 4 parts water.

APPLICATIONS & USE

1. For stripper / removing old worm layers of resin waxes, prepare the solution at dilution rate as highlighted, i.e. 1-part **Wax Stripper** to 4 parts of water.

2. Amply soak your mop in the diluted solution, and apply mop to evenly spread the solution onto the floor. The application rate would be around $5m^2$ per litre of solution.

3. Leave the treated surface of the floor for a while, about 5 minutes, until you can see the wax layers are peeled off by the **Wax Stripper**.

4. Apply the roto-polisher (attached with the black pad) to remove coats from the floor surface.

5. Pick up the standing solution with the wet vacuum.

6. Quickly wipe out the floor at least three times with the clean wet mop using fresh water, and allow the floor to get completely dry.

CSG INDUSTRIES PTE LTD

No. 50, Tuas Avenue 11, #01-22, Tuas Lot Singapore 639107 Email : info@dbond.com.sg

TECHNICAL SPECIFICATION

Appearance	:	Colourless liquid
Odour	:	Characteristic
Boiling Point	:	171 ^o C
Freezing Point	:	-70 ^o C
Specific Gravity	:	0.90 typical @ 20 ^o C
Solubility	:	Completely in water

PRECAUTION

Use with adequate ventilation. Avoid prolonged contact with skin. Before using **Wax Stripper**, always read precaution and handling procedures as prescribed on container label.

 Tel :
 (65) 6262 0800

 (65) 6262 0822

 Fax :
 (65) 6268 4500